Kozel Z, et al. Initial experience and cancer detection rates of office-based transperineal magnetic resonance imaging-ultrasound fusion prostate biopsy under local anesthesia

Transperineal Fusion Prostate Biopsy Patient Assessment Form (administered by telephone)

1. On a scale from 0 to 10, with 0 being no pain and 10 being the worst pain you've ever experienced how much pain did you experience immediately following the procedure?

2. On a scale from 0 to 10, with 0 being no pain and 10 being the worst pain you've ever experienced how much pain did you experience in the first 3 days following the procedure?

3. Was pain present after 3 days? If so, for how many additional days did you experience pain.

The following statements will be read to you, please respond to with your agreement or disagree with each statement on a scale from: Strongly Disagree, Disagree, Neutral, Agree, Strongly Agree

4. The pain from my biopsy affected my ability to relax/enjoy activities.

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
0	0	0	0	0

5. I experienced significant issues with urination (high frequency, difficulty urinating, burning on urination) following my procedure.

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree	
O	O	O	O	O	
 6. I am significant issues with issues moving my bowels following my procedure. Strongly Disagree Disagree Neutral Agree Strongly Agree O O<					

7. (Yes or no answer) I have previously undergone trans-rectal prostate biopsy.

No	Yes
0	0

8. (If yes to question 7) Compared to trans-rectal prostate biopsy, I experienced less pain following trans-perineal prostate biopsy.

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
0	0	0	0	0

9. (If yes to question 7) Compared to trans-rectal prostate biopsy, I experienced less side effects following trans-perineal prostate biopsy.

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
0	0	Ο	0	0

10. (If yes to question 7) I would prefer trans-perineal prostate biopsy to trans-rectal prostate biopsy if I had to undergo the procedure again.

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
0	Ο	Ο	0	0

11. I would encourage others needing prostate biopsy to undergo trans-perineal prostate biopsy.

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
0	0	0	0	0