Matta R, et al. Healthcare utilization during transition to adult care in patients with spina bifida: A population-based longitudinal study in Ontario, Canada

APPENDIX

Supplemental Figure 1. Checking the linearity assumption with a multilevel model with random intercepts and age as a fixed effect categorical variable and with age 17 as the reference point.

Age* (years)	<u>RR</u>	<u>LCL</u>	<u>UCL</u>		1		
13	0.89	0.78	1.02		-		
14	0.84	0.74	0.96	-			
15	0.90	0.79	1.02		-		
16	0.90	0.79	1.02				
17		Reference	ce		+		
18	1.12	0.99	1.27		-	_	
19	1.14	1.01	1.28		-	_	
20	1.22	1.08	1.38		—		
21	1.14	1.01	1.29			_	
22	1.22	1.08	1.38			—	
			0	0.5	1	1.5	
				Rate Ratio			

Matta R, et al. Healthcare utilization during transition to adult care in patients with spina bifida: A population-based longitudinal study in Ontario, Canada

	ICD-10	ICD-9	CCI	ССР	OHIP fee code or diagnosis code
Neuropathic bladder	N310, N311, N312, N318, N319	34461, 5965, 5968, 5969			
Neuropathic bowel/constipation	K59.00	5640, 5648, 5649			564
Hydrocephalus	G91, Q07, Q038-039	3313, 3314, 7423			742
Presence of ventriculoperitoneal shunt	T850, G972	V452			N245 Z801, N174A-C
VP Shunt complication	T85.0, G972	9962			N245 Z801, N245 Z801, N174A-C
Developmental delay	F80-F89, F70- 79	3155, 3158, 3159, 316, 317, 3180, 3181, 3182, 319			315, 319
Mobility restraints	Z99.3	V538			
Pressure ulcers	L89	7070, 7078, 7079			707
Major urologic surgery				•	
Continent/incontinent diversion	V445	Mitrofanoff V44.52; vesicostomy 57.21; conduit 56.51, 56.71, 56.72	1PM77DAXXG 1PM89DAXXG 1PM89LAXXG 1PM90LAXXG 1PM90RDXXG 1PM91DAXXG	6914 6841 6862 6863	
		30.71, 30.72	1PM91DAXXG 1PM91LAXXG 1PM92DAXXG 1PM92LAXXG		

Matta R, et al. Healthcare utilization during transition to adult care in patients with spina bifida: A population-based longitudinal study in Ontario, Canada

	T
	1PM92RDXXG
	1PG76RDXXG
	1PM77EN
	1PM77LA
	1PM77LA
	1PM77LA
	1PM77LAXXA
	1PM77LAXXG
	1PM77RR
	1PM89EN
	1PM89EN
	1PM89RR
	1PM89RR
	1PM91EN
	1PM91EN
	1PM91RR
	1PM91RR
	1PG77LA
	1PG77LA
	1PG77LAXXG
57.87, 57.88	1PM79DAXXE
	1PM79DAXXQ
	1PM79ENXXG
	1PM79LAXXE
	1PM79LAXXG
	1PM79LAXXL
	1PM79LAXXP
	1PM79LAXXQ
	1PM79RDXXG
57.91	6991
	1PL50BTGX
	1PQ50BA
	1PQ50BA

Matta R, et al. Healthcare utilization during transition to adult care in patients with spina bifida: A population-based longitudinal study in Ontario, Canada

		1PQ50BA	
		1PQ50BA	
		1PQ50BA	
		1PQ50BA	
		1PQ50BTBP	
		1PQ50CA	
Intravesical botox injection		1PM35BAL7	
		1PM35HAL7	
		1QT35BAL7	
		1QT35HAL7	
		1PL35BAL7	
		1PL35HAL7	

CCI: Canadian Classification of Health Interventions; CCP: Canadian Classification of Diagnostic, Therapeutic, and Surgical Procedures; ICD-9: International Classification of Disease, 9th Revision; ICD-10: International Classification of Disease, 10th Revision; OHIP: Ontario Health Insurance Plan.