

APPENDIX

Survey questions for POCUS usage in urology residents, staff, and medical students

1. Email
2. Role (Options: Urology Faculty, Urology Resident, Medical Student, Nurse, Other allied health care worker, Other)
3. Was POCUS used today? (Options: Yes, No)
4. If used today, what was the time of POCUS?
5. If not used today, what was the date and time of POCUS use?
6. Patient's location (Options: Pediatric Surgery Clinic, UAH ED, UAH Ward, RAH ED, RAH Ward, Stollery ED, OR, Stollery Ward, Other)
7. Examined body part (Options: Kidney, Bladder, Testicle, Wound, Other)
8. Indication for the exam (Options: Hydronephrosis, Renal mass, Testicular torsion, Testicular mass, Hydrocele, Varicocele, Urinary retention, Bladder clot, Abscess, Wound dehiscence, Suprapubic tube, Other)
9. Ease of use (Scale from "Very cumbersome" to "Very easy")
10. Duration of the exam (Options: <1 minute, 1-5 minutes, 5-10 minutes, 10-20 minutes, >20 minutes)
11. Type of confirmatory exam performed (Options: Surgical exploration, Ultrasound, CT, KUB - plain X-ray, MRI, Other)
12. Did the confirmatory exam agree with POCUS? (Options: Yes, No, Pending)