

A pioneer of urologic surgery from a small town in Ontario, Canada: A tribute to Abraham Groves (1847-1935)

Yves Caumartin, MD; Vivian C. McAlister, MD; Patrick P.W. Luke, MD, FRCSC

See related article on page 413.

Abstract

Background: Abraham Groves worked as a general practitioner and surgeon in the small town of Fergus, Ontario, Canada. Several priority claims have been attributed to Groves' life in surgery, including aseptic surgery (1874), appendectomy (1883) and the use of surgical gloves (1885). He was also an early practitioner of urological surgery.

Objective: The purpose of this paper is to describe and objectively assess his contributions as a pioneer in urological surgery.

Methods: A systematic search of contemporary journals was made for articles by or about Groves. These articles and his 1934 autobiography were reviewed. The information was assessed not only for priority, but also for the development of organized surgical principles and thought.

Results: Groves published frequently throughout his career; up to this point, 36 papers have been identified. Groves' claims are verifiable for aseptic surgery, which were the result of logical surgical thought and was practiced throughout his career. Contemporary publications support his early use of suprapubic lithotomy (1875), prostatotomy (1887), bladder repair (1892), urethral repair (1903), renal decapsulation (1905) and prostatectomy (1911).

Conclusions: Despite his isolation, Abraham Groves independently developed a full range of surgical techniques and principles relevant to modern-day urology. His impact was reduced by the nature of the environment in which he worked and by the limited circulation of the journals in which he chose to publish.

Can Urol Assoc J 2010;4(6):407-12

Résumé

Contexte : Abraham Groves était omnipraticien et chirurgien dans la petite ville de Fergus, en Ontario. Plusieurs percées importantes lui ont été attribuées, comme la chirurgie en aseptie (1874), l'appendicectomie (1883) et l'emploi de gants chirurgicaux (1885). Il a aussi été un pionnier de la chirurgie urologique.

Objectif : Le présent article vise à décrire et évaluer de façon objective les contributions d'Abraham Groves dans l'évolution de la chirurgie urologique.

Méthodologie : Une recherche systématique des revues médicales de l'époque a permis de dégager des articles signés par Groves ou

portant sur ses travaux. On a ensuite passé en revue ces articles et son autobiographie, datant de 1934. On cherchait dans ces documents non seulement des preuves de ses percées sur le plan scientifique mais aussi l'élaboration de principes et théories structurés en chirurgie.

Résultats : Groves a publié de nombreux articles; jusqu'à présent, nous en avons trouvé 36. Il a été possible de confirmer les découvertes de Groves concernant la chirurgie en aseptie, technique découlant de la logique scientifique et qu'il a pratiquée durant toute sa carrière. Des articles de l'époque confirment son utilisation de la lithotomie sus-pubienne (1875), de la prostatotomie (1887), de la réparation vésicale (1892), de la réparation urétrale (1903), de la décapsulation rénale (1905) et de la prostatectomie (1911).

Conclusions : En dépit de son isolement, Abraham Groves a élaboré de façon indépendante une gamme de techniques chirurgicales et de principes toujours pertinents en urologie de nos jours. Son influence a été limitée par la nature de son environnement professionnel et par la circulation limitée des périodiques dans lesquels il a choisi de publier.

Introduction

A brief historical overview of Groves' life can help to understand how this "backwood" doctor independently developed an organized surgical system with a resulting exceptional surgical career (Fig. 1). Abraham Groves was born on September 8, 1847 near Peterborough, Ontario, Canada, from Irish immigrant parents. In 1856, the Groves family moved to a 200-acre farm, 4 miles from Fergus, Ontario.^{1,2} After he finished high school, he left home in 1867 to register in the Toronto School of Medicine.

During this time, medical education in Toronto was going through a difficult period. The practical bedside training was fragmented and inadequate. The Toronto General Hospital had to close in 1868 to 1869 due to lack of funds. Groves had less than 6 months of apprenticeship as an assistant to a Toronto doctor before beginning his practice in 1871 in his hometown of Fergus, Ontario. Thirteen classmates of Groves, including William Osler, graduated elsewhere to complete their clinical training.^{1,2}

At the time, abdominal surgeries were associated with significant complications and mortality, and avoided by the academic surgeons. Groves recounted: "during my

undergraduate course there was not, so far as I know, one abdomen opened in the Toronto General Hospital."³ This made his inauguration as a surgeon, after 3 years of general practice, even more extraordinary when he operated on a 40-year-old woman with cystic ovarian tumour filling the entire abdomen in 1874.^{3,4}

During his 60 year career, he performed over 20 000 operations. His belief regarding preventive medicine, including abstinence from alcohol or tobacco, allowed him to maintain his own health until he died in 1935 from pneumonia at the age of 87.^{1,2,5}

Several priority claims have been attributed to Groves,

including aseptic surgery (1874),⁴ appendectomy (1883)³ and the use of surgical gloves (1885).³ His contributions as a pioneer in urology are less well-known. In this paper, these priority claims will be presented and discussed in relation to the history of urologic surgery.

Methods

A systematic search of contemporary journals was made for articles by or about Abraham Groves. These articles, as well as his 1934 autobiography *All in the Day's Work*,³ were reviewed. Overall, Groves published 36 medical papers

Table 1. Groves' medical publications

	Journal name	Article title	Date
1	Canada Lancet	Case of ovariectomy ⁴	1874
2	Canada Lancet	Case of ovariectomy ²⁴	1875
3	Canada Lancet	A case of double ovariectomy ²⁵	1878
4	Canadian Journal of Medical Science	Supra-pubic lithotomy ¹¹	1881
5	Canadian Practitioner	Removal of firmly adherent solid tumour ovary ²⁶	1883
6	Northwest Lancet	Puerperal septicaemia ²⁷	1883
7	Canadian Practitioner	The operative treatment of fluid effusions of the chest ²⁸	1884
8	Canadian Medical and Surgical Journal	Empyema ²⁹	1884
9	Canada Lancet	Renal calculi ²³	1885
10	Canada Lancet	Prostatotomy ¹³	1887
11	Canadian Practitioner	Prostatotomy ¹⁴	1887
12	Canadian Medical and Surgical Journal	Prostatectomy ¹⁵	1887
13	Canada Lancet	Vaginal hysterectomy with abdominal ovariectomy ³⁰	1889
14	Montreal Medical Journal	Peri-typhilitic abscess ³¹	1890-1891
15	Canada Lancet	Immediate closure of the wound after supra-pubic cystotomy ¹²	1892
16	Dominion Medical Monthly	Laparo-elytrotomy ³²	1893
17	Eclectic Medical Journal	Extrauterine pregnancy ³³	1895
18	Montreal Medical Journal	The local treatment of intrauterine sepsis ³⁴	1899
19	Canada Lancet	The action of x-rays in diseased structures ³⁵	1903
20	Canada Lancet	Estlanders operations - 3 cases ³⁶	1903
21	Canada Lancet	Diagnosis and treatment of tuberculous peritonitis ³⁷	1903
22	Dominion Medical Monthly	Operation for traumatic epilepsy ³⁸	1903
23	Dominion Medical Monthly	Appendiceal diseases ³⁹	1903
24	American Medicine	Operative treatment of the ruptured urethra ¹⁸	1903
25	Dominion Medical Monthly	Intestine ruptures by kick of a horse ⁴⁰	1903
26	Canadian Practice and Review	The radical cure of hernia ⁴¹	1904
27	Canadian Practitioner	Radical cure of hernia ⁴²	1904
28	Canada Lancet	Intra-abdominal anastomosis ⁴³	1904-1905
29	American Medicine	Intra-abdominal anastomosis ⁴⁴	1905
30	Canada Lancet	Case of acute uraemia in which decapsulation of the kidney was performed ¹⁹	1905-1906
31	Canada Lancet	Thyroidectomy ⁴⁵	1907
32	Canada Lancet	Pyloroplasty ⁴⁶	1909
33	Canada Lancet	Prostatectomy ¹⁶	1911-1912
34	CMAJ	Evolution of surgery ¹⁰	1922
35	CMAJ	Rupture of the bladder ⁴⁷	1923
36	CMAJ	Fracture of the clavicle, acromium process and surgical neck of the scapula ⁴⁸	1924




Fig. 1. Portrait of Dr. Abraham Groves, circa 1920 (Wellington County Museum and Archives, ph 10150).

from 1874 and 1924 (Table 1). Articles were identified through the Index-Catalogue of the Library of the Surgeon-General's Office (US army, Series 1-5). Eleven scholarly and 3 newspaper articles (*Toronto Globe*, *Toronto Star* and *Fergus Record*) about Groves were published between 1948 and 2003. Additionally, material was found in 5 archives (Wellington County Museum, Ontario Medical Association, Archives of Ontario, Dittrick Museum in Cleveland and Toronto Academy/Toronto General Hospital). The information relevant to urologic surgery field was collected and assessed not only for priority claims, but also for the development of organized surgical principles and thought.

Results

Groves published frequently throughout his career; 36 papers have been found (Table 1). He spoke at regional meetings in Ontario, but not in the United States. He was a founding member of the Ontario Medical Association, but not of the American College of Surgeons.

Aseptic surgical technique

It is likely that the early adoption of aseptic techniques permitted him to succeed in urologic surgery. Prior to his first major operation in May 1874,⁴ Groves was advised by colleagues to avoid the procedure. At that time, he knew that typhoid fever could result from drinking water that appeared pure. Groves reasoned that since typhoid was carried by



Fig. 2. The Bullfrog Tavern (Guelph, Ontario) where Groves proceeded to his first suprapubic lithotomy (taken from *All in the Day's Work*). The tavern still exists today as a barber shop.

water, infections after surgery might arise from infected fluids of the patient, the surgeon's hands, the instruments or the sponges. To minimize infection, he decided to boil the water used during operations and allowed it to cool. In this way, all his instruments and sponges were boiled. Carbolized catgut was also used to tie vascular pedicles and cotton saturated with a solution of carbolic acid was used to dress the wounds.²⁻⁴

It is not precisely known when the first description of aseptic surgery was documented. Lister, perceiving that Pasteur's heat sterilization had no relevance to surgical procedures, turned to chemical antisepsis with carbolic acid by 1867. Koch and his assistants perfected the idea of steam sterilization in 1881.⁶ However, heat sterilization was not truly introduced into surgery until Von Bergmann described it in 1886, 12 years after Groves' description.⁷ It was not until 1888 that Davidsohn consistently taught surgeons in the United States to boil their instruments.⁸

Suprapubic lithotomy

Bladder stones had been treated through perineal extraction for centuries. While the suprapubic approach was documented for the first time by Pierre Franco in 1556 and subsequently by John Douglas among others; this approach, however, was not generally approved for stone extraction and was virtually unknown among contemporary surgeons.⁹ For his first stone extraction, Groves proceeded through a suprapubic route. His description of 4 cases was a first in Canada.^{3,10}

His first suprapubic cystolithotomy involved a 63-year-old man weighing over 300 pounds. Surgeons of the highest standing had refused to operate on him, believing that the perineal route would not provide access to the bladder. Groves, however, performed the suprapubic cystolithotomy on April 20, 1878, in a room of an old hotel, the Old Bullfrog tavern in Guelph, Ontario (Fig. 2). Assisted by 2 medical students, he removed 6 calculi (Fig. 3). After this groundbreaking procedure, the patient promptly recovered without complication.¹¹



Fig. 3. The 6 bladder calculi removed by the suprapubic route, in 1878 (taken from *All in the Day's Work*).

In cases involving bladder stones, the bladder was usually in an unhealthy condition, containing “ropy mucus, pus, cast-off epithelium, decomposing blood clots or fetid urine.” However, Groves realized that “... immediate union [of the wound] is the ideal result we are striving for...on account of the constant escape of urine through an open wound...”³

In 1892, Groves described his technique of immediate wound closure after suprapubic cystotomy.¹² First, to obtain a cleaner surgical field, Groves performed antiseptic cleansing of the bladder. Using Thiersch’s solution of salycilic and boracic acids, the bladder was irrigated with copious and repeatedly washed for a number of days. Finally, the whole wound was flushed with bichloride solution and the bladder was closed with continuous catgut suture. To prevent rupture of the ill-conditioned bladder, drainage was provided through a catheterization system similar to contemporary catheter management.

Prostatotomy

In 2 publications,^{13,14} Groves demonstrated an advanced knowledge of anatomy and the physiopathology of prostate enlargement. Despite the fact that the prostatotomy procedure is currently performed endoscopically (transurethral incision of prostate), the principles behind his approach reflect current therapy.

Prostatotomy was performed early in Groves’ practice. The patient was placed in the lithotomy position, and a grooved staff passed into the bladder. The skin incision was made in the median perineal line, and the membranous portion of the urethra opened as close to the prostate as possible. Then an ordinary lithotomy knife was passed along the grooved staff and the obstructing portion of the prostate incised (Fig. 4). A drain was inserted and the staff was withdrawn; the patient recovered with prolonged bedrest to prevent dislodgement of the drain.^{13,14}

Prostatectomy

Through his experience with suprapubic lithotomy, Groves progressively mastered the suprapubic approach for urologic disease.¹⁵ A publication from 1911 reported his experience




Fig. 4. Groves’ amputation knife. Quoting Groves: ‘... the handle split and loosened. This was caused by my boiling every instrument and all things used in an operation (taken from the *Dittrick Museum of Medical History of the Cleveland Medical Library Association*).

with transvesical prostatectomy.¹⁶ There are sources that indicate that Groves performed the first prostatectomy in 1887,¹⁵ the same year it was reported by McGill in Leeds, UK and 4 years prior to Goodfellow who described perineal prostatectomy.¹⁷ To the best of our knowledge, there are no documents that describe Groves’ surgical technique and no documentation of the location and exact time of the first procedure. According to modern texts, neither McGill, Goodfellow nor Groves were granted credit for the first prostatectomy. This distinction was given to Fuller in 1894 and popularized by Freyer in 1900. It was not until 1947 that the contemporary open approach was described in detail by Millin.

In Groves’ publication on prostatectomy, he described the surgical principles behind prostatectomy, but did not document anatomical or surgical details about the prostatectomy procedure. He stated merely that he preferred the suprapubic over the perineal approach, due to improved exposure to the prostate through the suprapubic approach. He stated that “since the prostate enlarged towards the bladder and not towards the perineum,” the suprapubic approach could facilitate the removal of the adenoma.³ He reported a remarkably low mortality rate for the time: only 3 of 100 patients died from pneumonia, prostate cancer and sepsis.

Urethral repair

In a short article published in *American Medicine* in 1903,¹⁸ Groves described the operative treatment of a ruptured urethra. Again, his description adopted principles employed

by modern-day urologists. He indicated that extravasation of blood and urine in the bruised and torn tissues rendered reconstruction of the urethra after pelvic trauma a daunting task. In managing urethral injury, he described a combined suprapubic and perineal approach. This involved antegrade passage of a catheter from the open bladder along the urethra to localize the proximal urethra. He also commented on the resulting problem associated with delayed surgical repair: "if the edges are not approximated, cicatricial tissue will results and a troublesome stricture develop."³ He also found success with delayed reconstruction of the urethra.

Renal decapsulation

In 1903, Groves published a case of decapsulation of kidneys performed in a patient with acute nephritis.^{3,19} Despite the fact that this procedure is not currently in vogue, renal decapsulation later developed interest and its merits reviewed in *CMAJ* in 1940 as a treatment for various inflammatory conditions of the kidneys including Bright's disease.²⁰ The first case was performed by Harrison, of England, in 1878, but was elaborately discussed for the first time by Edebohls in 1901, who later received credit in conceptualizing this surgery.²¹ It is not clear if Groves was aware of these reports at the time he published his first case, but through this publication, he introduced novel concepts regarding parenchymal compression, impaired blood flow and renal failure that were unrecognized concepts at that time.

To Groves, the inability of the kidneys to secrete any urine stemmed from their encasement in the inelastic capsule. Therefore, as the kidneys swelled from intense congestion and inflammation, they were unable to function on account of pressure. Although surgical capsulotomy has not been proven to be beneficial to treat nephritis or pyelonephritis, Groves clearly had a grasp of renal physiology and surgical principles that were not well-described until Page published his physiology paper in 1939.²²

Renal calculi

As a general practitioner, Groves developed principles for disease prevention. Early in his career, he published a paper on the etiology of renal calculi and treatment strategies.²³ Although based on other authors' works, his understanding of urolithiasis was remarkably advanced.

In his publication, he approached many different aspects of this disease. He mentioned the inadequate supply of milk as a cause for stone formation in certain population. He also stated that the hardness of the water increases the risk for stone formation and noted that foreign bodies can act as a nucleus for stone formation.

He concluded this paper by addressing the treatment of renal colic. Belladonna, opium and warm baths were part

of the regular treatment. He advised the administration of an anesthetic in every case in which pain was too severe. Blood letting performed during this era was condemned by Groves and deemed to be entirely unnecessary. Finally, he suggested that regulation of diet, drinking considerable quantities of lime-free water, exercise and avoidance of alcoholic liquors could prevent stone formation.

Conclusion

Groves' adoption of aseptic surgery enabled him to develop a very complex surgical practice that including a well-developed practice in urology. However, his impact was reduced by nature of the environment in which he worked and by the limited circulation of the journals in which he chose to publish. If Groves had Osler's opportunity and foresight to write a book entitled *Principles and Practice of Urology* in 1892, we may have considered him to be a founding father of modern urology.

Department of Surgery, Divisions of General Surgery and Urology, University of Western Ontario, London, ON

Competing interests: None declared.

This paper has been peer-reviewed.

References

- Harris CW. Abraham Groves of Fergus: the First Elective Appendectomy? *Can J Surg* 1961;4:405-10.
- Spaulding WB. Abraham Groves (1847-1935): A Pioneer Ontario Surgeon, Sufficient unto himself. *Can Bull Med Hist* 1991;8:249-62.
- Groves A. *All in the Day's Work*. Toronto, ON: McMillan Publishing Company; 1932.
- Groves A. Case of ovariectomy. *Canada Lancet* 1874;6:345-7.
- Sanders P. Abraham Groves. *Surg Gynecol Obstet* 1987;164:179-84.
- Godfrey CM. Inaugural Meeting of 1881 revisited. *Ontario Medical Review* 1980;309.
- Garrison FH. *An Introduction to the History of Medicine*. 4th ed. Philadelphia, PA: W.B. Saunders; 1929.
- Ravitch MM. *A Century of Surgery*. Philadelphia, PA: J.B. Lippincott; 1981.
- Androustos G. Pierre Franco (1505-1578): famous surgeon and lithotomist of the 16th century [article in French]. *Prog Urol* 2004;14:255-9.
- Groves A. Evolution of surgery. *CMAJ* 1922;12:527-31.
- Groves A. Supra-pubic lithotomy. *Can J Med Sci* 1881;4:354.
- Groves A. Immediate closure of the wound after supra-pubic cystotomy. *Canada Lancet* 1892;25:44-5.
- Groves A. Prostatotomy. *Canada Lancet* 1887;12:240-1.
- Groves A. Prostatotomy. *Canadian Practitioner* 1887;12:240.
- Groves A. Prostatectomy. *Canadian Medical and Surgical Journal* 1887;15:715.
- Groves A. Prostatectomy. *Canada Lancet* 1911;45:572.
- Shackley D. A century of prostatic surgery. *BJU Int* 1999;83:776-82.
- Groves A. Operative treatment of the ruptured urethra. *American Medicine* 1903;5:410.
- Groves A. Case of acute uremia in which decapsulation of the kidneys was performed. *Canada Lancet* 1905;39:609-10.
- Nichol JE. Indications for decapsulation of the kidney. *CMAJ* 1940;43:577.
- Goodfellow G, Eaton GL. Decapsulation of the kidney for chronic Bright's disease. *Cal State J Med* 1903;1:391.

22. Page IH. The production of persistent arterial hypertension by cellophane perinephritis. *JAMA* 1939;113:2046-8.
23. Groves A. Renal calculi. *Canada Lancet* 1885;16:360-2.
24. Groves A. Case of ovariectomy. *Canada Lancet* 1875;7:192-3.
25. Groves A. A case of double ovariectomy. *Canada Lancet* 1878;10:195.
26. Groves A. Removal of firmly adherent solid tumour ovary. *Canadian Practitioner* 1884;7:323.
27. Groves A. Puerperal septicaemia. *Northwest Lancet* 1883;13:372-4.
28. Groves A. The operative treatment of fluid effusions of the chest. *Canadian Practitioner* 1884;9:233-6.
29. Groves A. Empyema. *Canadian Medical and Surgical Journal* 1884;12:696.
30. Groves A. Vaginal hysterectomy with abdominal ovariectomy. *Canada Lancet* 1889;22:6.
31. Groves A. Peri-typhlitic abscess. *Montr Med J* 1890;19:11.
32. Groves A. Laparo-elytrotomy. *Dominion Medical Monthly* 1893;73-4.
33. Groves A. Extrauterine pregnancy. *Eclectic Medical Journal* 1895;4:509-11.
34. Groves A. The local treatment of intrauterine sepsis. *Montr Med J* 1899;28:208-10.
35. Groves A. The action of x-rays in diseased structures. *Canada Lancet* 1903;36:463-4.
36. Groves A. Estlanders operations - 3 cases. *Canada Lancet* 1903;37:408.
37. Groves A. Diagnosis and treatment of tuberculous peritonitis. *Canada Lancet* 1903;38:526.
38. Groves A. Operation for traumatic epilepsy. *Dominion Medical Monthly* 1903;20:200.
39. Groves A. Appendiceal diseases. *Dominion Medical Monthly* 1903;20:311-8.
40. Groves A. Intestine ruptures by kick of a horse. *Dominion Medical Monthly* 1903;20:201.
41. Groves A. The radical cure of hernia. *Canadian Practice and Review* 1904;29:68-71.
42. Groves A. Radical cure of hernia. *Canadian Practitioner* 1904;29:68.
43. Groves A. Intra-abdominal anastomosis. *Canada Lancet* 1904;38:407-9.
44. Groves A. Intra-abdominal anastomosis. *American Medicine* 1905;9:697-700.
45. Groves A. Thyroidectomy. *Canada Lancet* 1907;41:524-9.
46. Groves A. Pyloroplasty. *Canada Lancet* 1909;43:341.
47. Groves A. Rupture of the bladder. *CMAJ* 1923;13:319-20.
48. Groves A. Fracture of the clavicle acromium process and surgical neck of the scapula. *CMAJ* 1924;14:318.

Correspondence: Dr. Patrick Luke, London Health Sciences Centre, University Campus, 339 Windermere Rd, London, ON N6A 5A5; fax: 519-663-3858; patrick.luke@lhsc.on.ca